



2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis



**Client Name:** Coastal Crop LLC

**Client Address:** 33 Industrial Pkwy Rd, STE 1, Lumberton,  
MS 39455

**License Number:** PROC002037



**Sample Name:** Northern Lights Disposable

**Sample ID:** MS5415

**METRC ID (LOT#):** 1A4230100006DC5000000052

**Batch Number:** 1A4230100006DC5000000044

**Sample Matrix:** Concentrate

**Total Batch Size (#), Units in Batch (count):**

**Total Sample Weight (g), Units Sampled (count):**

**Sample Density(g/ml):**

**Servings Per Container (#):**

**Serving Mass (g):**


**Grams per Package:**

**Date Sampled:** 5/3/2024

**Date Received:** 5/3/2024

**Date Reported:** 5/20/2024

## Sample Result: PASS



### Cannabinoids

PASS

Standard potency analysis utilizing High Performance Liquid Chromatography (HPLC) | Test ID: #41570

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
CBC	0.44	4.4	0.0379	0.1144
CBD	0.4477	4.477	0.0557	0.1686
CBDA	ND	ND	0.0619	0.1863
CBDV	ND	ND	0.0688	0.2095
CBG	0.14	1.4	0.0564	0.1716
CBGA	ND	ND	0.0595	0.1801
CBN	0.6997	6.997	0.0541	0.1631
d8-THC	0.2206	2.206	0.0441	0.1338
d9-THC	59.0787	590.787	0.0448	0.1353
THCA	0.0743	0.743	0.0464	0.1392
THCV	ND	ND	0.0549	0.1655

### Total Cannabinoids

	%	mg/g
Total THC:	59.14	591.439
Total CBD:	0.45	4.477
Total Cannabinoids:	61.09	610.919

**Total theoretical THC % = (delta-9-THC%) + (THCA% \* 0.877)**



Sample ID: MS5415

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis

### Terpenes

Standard terpene analysis utilizing Gas Chromatography – Mass Spectrometry (GC-MS) | Test ID: #41580

Analyte	%	mg/g	LOD (mg/g)	LOQ (mg/g)
Limonene	1.6717	16.717	0.006	0.018
Myrcene	0.9628	9.628	0.006	0.018
a-Terpinolene	0.9552	9.552	0.003	0.011
trans-Caryophyllene	0.2453	2.453	0.014	0.043
Linalool	0.2452	2.452	0.007	0.023
Carophyllene Oxide	0.2331	2.331	0.022	0.067
a-Humulene	0.2049	2.049	0.007	0.022
a-Pinene	0.0896	0.896	0.003	0.009
beta-Pinene	0.0872	0.872	0.006	0.019
Geraniol	0.0871	0.871	0.021	0.065
a-Bisabolol	0.0707	0.707	0.017	0.052
3-Carene	0.0523	0.523	0.005	0.016
Isopulegol	0.0449	0.449	0.016	0.048
trans-Nerolidol	0.0368	0.368	0.007	0.021
gamma-terpinene	0.033	0.33	0.005	0.016
alpha-Terpinene	0.0269	0.269	0.002	0.007
Guaiol	0.0268	0.268	0.013	0.040
Camphene	0.0258	0.258	0.009	0.027
Cineole	ND	ND	0.008	0.024
trans-Ocimene	ND	ND	0.011	0.032
cis-Ocimene	ND	ND	0.005	0.015
cis-Nerolidol	ND	ND	0.007	0.021
Total Terpenes	5.0993	50.993		

### Heavy Metals

PASS

Heavy metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS) - Limit units: µg/kg | Test ID: #41572

Analyte	Pass/Fail	Result (ug/g)	Limit	LOD (ug/g)	LOQ (ug/g)
Arsenic	Pass	ND	0.400	0.060	0.200
Cadmium	Pass	ND	0.400	0.060	0.200
Lead	Pass	ND	1.000	0.160	0.500
Mercury	Pass	ND	1.200	0.200	0.600



Sample ID: MS5415

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis

### Pesticides

PASS

Residual pesticide analysis utilizing Liquid and Gas Chromatography – Mass Spectrometry (LC-MSMS) - Limit units: ug/g = ppm | Test ID: #41574

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Abamectin	PASS	ND	0.500	0.001	0.002
Acephate	PASS	ND	0.400	0.015	0.047
Acequinocyl	PASS	ND	2.000	0.024	0.072
Acetamiprid	PASS	ND	0.200	0.002	0.006
Aldicarb	PASS	ND	0.400	0.005	0.015
Azoxystrobin	PASS	ND	0.200	0.002	0.006
Bifenazate	PASS	ND	0.200	0.002	0.007
Bifenthrin	PASS	0.147	0.200	0.004	0.012
Boscalid	PASS	ND	0.400	0.008	0.023
Carbaryl	PASS	ND	0.200	0.001	0.003
Carbofuran	PASS	ND	0.200	0.002	0.005
Chlorantraniliprole	PASS	ND	0.200	0.004	0.011
Chlorfenapyr	PASS	ND	1.000	0.056	0.170
Chloromequat chloride	PASS	ND	0.200	0.004	0.013
Chlorpyrifos	PASS	ND	0.200	0.004	0.011
Clofentezine	PASS	ND	0.200	0.002	0.006
Cyfluthrin	PASS	ND	1.000	0.025	0.076
Cypermethrin	PASS	ND	1.000	0.010	0.029
Daminozide	PASS	ND	1.000	0.014	0.044
Diazinon	PASS	ND	0.200	0.001	0.004
Dichlorvos	PASS	ND	0.100	0.001	0.002
Dimethoate	PASS	ND	0.200	0.002	0.005
Ethoprophos	PASS	ND	0.200	0.002	0.006
Etofenprox	PASS	0.083	0.400	0.009	0.029
Etoxazole	PASS	ND	0.200	0.001	0.004
Fenoxycarb	PASS	ND	0.200	0.002	0.005
Fenpyroximate	PASS	ND	0.400	0.002	0.007
Fipronil	PASS	ND	0.400	0.008	0.023
Flonicamid	PASS	ND	1.000	0.043	0.130
Fludioxonil	PASS	ND	0.400	0.010	0.030
Hexythiazox	PASS	ND	1.000	0.007	0.021
Imazalil	PASS	ND	0.200	0.003	0.008
Imidacloprid	PASS	ND	0.400	0.004	0.011
Kresoxim-methyl	PASS	ND	0.400	0.003	0.009
Malathion	PASS	ND	0.200	0.003	0.008
Metalaxyl	PASS	ND	0.200	0.002	0.004
Methiocarb	PASS	ND	0.200	0.002	0.005
Methomyl	PASS	ND	0.400	0.005	0.014
Methyl parathion	PASS	ND	0.200	0.005	0.016
Myclobutanil	PASS	ND	0.200	0.002	0.005
Naled	PASS	ND	0.500	0.004	0.012
Oxamyl	PASS	ND	1.000	0.013	0.040
Paclobutrazol	PASS	ND	0.400	0.009	0.028
Permethrins	PASS	0.048	0.200	0.001	0.002
Phosmet	PASS	ND	0.200	0.001	0.004
Piperonyl Butoxide	PASS	0.957	2.000	0.048	0.145
Prallethrin	PASS	ND	0.200	0.001	0.004
Propiconazole	PASS	ND	0.400	0.004	0.011
Propoxur	PASS	ND	0.200	0.002	0.005
Pyrethrins	PASS	0.046	1.000	0.000	0.001
Pyridaben	PASS	ND	0.200	0.001	0.004
Spinosad	PASS	ND	0.200	0.000	0.001
Spiromesifen	PASS	ND	0.200	0.001	0.003
Spirotetramat	PASS	ND	0.200	0.005	0.015
Spiroxamine	PASS	ND	0.400	0.002	0.006
Tebuconazole	PASS	ND	0.400	0.006	0.017
Thiacloprid	PASS	ND	0.200	0.002	0.007
Thiamethoxam	PASS	ND	0.200	0.002	0.007
Trifloxystrobin	PASS	ND	0.200	0.015	0.045



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MSS415





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steepphill.com

## Regulatory Compliance Testing Certificate of Analysis

### Mycotoxins

PASS

Mycotoxins (LC-MS) - Limit units: ug/kg = ppb | Test ID: #41573

Analyte	Pass/Fail	Result (µg/kg)	Limit	LOD (µg/kg)
Aflatoxin B1	PASS	ND	20.0	0.679
Aflatoxin B2	PASS	ND	20.0	0.433
Aflatoxin G1	PASS	ND	20.0	0.373
Aflatoxin G2	PASS	ND	20.0	0.632
Ochratoxin A	PASS	ND	20.0	0.446

### Residual Solvents

Pass

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (HS-GC-MS) - Limit units: µg/g | Test ID: #41579

Analyte	Pass/Fail	Result (µg/g)	Limit	LOD (µg/g)	LOQ (µg/g)
Propane	Pass	ND	5000	1278.38	4261.27
2-Methylpropane	Pass	ND	5000	1235.75	4119.16
n-Butane	Pass	ND	5000	1156.81	3856.02
Neopentane	Pass	ND	5000	978.62	3262.08
Methanol	Pass	ND	3000	383.71	1279.04
Isopentane	Pass	ND	5000	868.39	2894.64
n-Pentane	Pass	ND	5000	2169.76	7232.55
Ethanol	Pass	ND	5000	671.27	2237.58
Ethyl Ether	Pass	ND	5000	129.84	432.79
2,2-Dimethylbutane	Pass	ND	290	27.18	90.61
Acetone	Pass	ND	1000	133.96	446.54
Isopropanol	Pass	ND	5000	601.57	2005.22
Acetonitrile	Pass	ND	410	56.47	188.22
2,3-Dimethylbutane	Pass	ND	290	35.29	117.62
Dichloromethane	Pass	ND	600	68.05	226.84
2-Methylpentane	Pass	ND	290	27.99	93.29
3-Methylpentane	Pass	ND	290	36.35	121.17
n-Hexane	Pass	ND	290	31.87	106.23
Ethyl Acetate	Pass	ND	5000	677.97	2259.90
Chloroform	Pass	ND	60	5.74	19.14
Benzene	Pass	ND	2	0.26	0.86
Isopropyl Acetate	Pass	ND	5000	504.27	1680.91
n-Heptane	Pass	ND	5000	267.81	892.69
Toluene	Pass	ND	890	92.08	306.93
Ethyl Benzene	Pass	ND	2170	181.28	604.26
m,p-Xylene	Pass	ND	2170	355.44	1184.80
o-Xylene	Pass	ND	2710	182.16	607.20
Total Xylene	Pass	ND	2170	6.07	20.24

### Microbials

PASS

Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration - Limit units: CFU/g

Analyte	Results (CFU/g)	Limit (CFU/g)	Pass/Fail
Aspergillus Fumigatus	ND	Detectable in 1 gram	Pass
Aspergillus Niger	ND	Detectable in 1 gram	Pass
Aspergillus Flavus	ND	Detectable in 1 gram	Pass
Aspergillus Terrus	ND	Detectable in 1 gram	Pass
Salmonella	ND	Detectable in 1 gram	Pass
Shiga Toxin E.Coli	ND	None	Pass
Total E.Coli	ND	100 CFU/g	Pass



Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

Sample ID: MS5415





2001 Airport Road, Suite 301  
Flowood, Mississippi 39232  
License #: TESL000161  
601-910-3001  
info@ms.steepphill.com

# Regulatory Compliance Testing Certificate of Analysis

## Foreign Material

PASS

Foreign Matter Inspection

Analyte	Pass/Fail
Foreign Matter	PASS

I hereby attest that all information contained within this report is complete and accurate, and further that all LQC samples have met required regulatory standards as enacted by the Mississippi Medical Cannabis Program as administered by the Mississippi Department of Health.

*Whitney Morris*

Whitney Morris  
Lab Director  
5/20/2024



Sample ID: MS5415

Determination of Pass/Fail is based on RULES AND REGULATIONS GOVERNING MEDICAL MARIJUANA REGISTRATION, TESTING, AND LABELING IN MISSISSIPPI. Steep Hill Mississippi does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available upon request. These results only relate to the item tested and apply to the sample as received. This report should only be reproduced in its entirety.

